

## Full body harnesses, protective clothing

Full body harness 2 - 3

Heat-resistant full body harness 2 - 65

Hi Vision full body harness 2 - 89

Overalls with full body harness 2 - 97

SOFTSHELL jackets 2 - 98

Harness with vest 2 - 101

Protective vests 2 - 102

- 2

**EN 361** 

Ref. no.: **AB 101 01** 

( (



### **SPECIAL FEATURES**



### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**










**EN 361** Ref. no.: **AB 101 03 C €** 







(€



### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**

WEIGHT



VERSION



	M – XL	690 g
	XXL	710 g





(€ EN 361, EN 358 Ref. no.: AB 102 01



### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**

WEIGHT

1050 g

1150 g



VERSION

M - XL

 $\mathsf{XXL}$ 







**DORSAL ATTACHMENT POINT** 



**BELT** 







### **SPECIAL FEATURES**



### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**









VERSION	WEIGHT	
M - XL	1100 g	
XXL	1200 g	

### **DORSAL ATTACHMENT POINT**



### **BELT**



Work positioning belt with side attachment buckles



**EN 361** Ref. no.: **AB 103 01** 



### **SPECIAL FEATURES**



Tested for maximum user's weight 140 kg



PREMITTED TO WORK IN
POTENTIALLY EXPLOSIVE AREAS

### MANUFACTURE

Webbing:	polyester 45mm
Buckles:	galvanized steel
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**









(€

 VERSION
 WEIGHT

 M - XL
 690 g


 XXL
 700 g


### **DORSAL ATTACHMENT POINT**











### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring



Front attachment point

EN 361 Ref. no.: AB 103 02



### **SPECIAL FEATURES**



PREMITTED TO WORK IN

POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**

WEIGHT



VERSION







	M - XL	730 g
	XXL	740 g

### **DORSAL ATTACHMENT POINT**









### **SPECIAL FEATURES**



Tested for maximum user's weight 140 kg



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing: polyester 45mm	
Buckles: galvanized steel	
Threads: polyester	

### **NUMBER OF ATTACHMENT POINTS**













VERSION	WEIGHT	
M – XL	1120 g	
XXL	1220 g	

### **DORSAL ATTACHMENT POINT**





BELT





EN 361, EN 358

Ref. no.: **AB 105 02** 



(€



### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**













VERSION	WEIGHT	
M – XL	1160 g	
XXL	1260 g	

### **DORSAL ATTACHMENT POINT**





**BELT** 





EN 361

Ref. no.: **AB 110 01** 

C€



### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**



dorsai



VERSION	WEIGHT	
M – XL	870 g	
XXL	900 g	

### **DORSAL ATTACHMENT POINT**



EN 361



EN 361 Ref. no.: AB 111 01



### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	aluminium	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**





 VERSION
 WEIGHT

 M - XL
 920 g

 XXL
 1000 g

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring



ADJUSTING BUCK



### SPECIAL FEATURES



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**













VERSION	WEIGHT
M – XL	1460 g
XXL	1600 g

### **DORSAL ATTACHMENT POINT**



### FRONT ATTACHMENT POINT



### **RESCUE ATTACHMENT POINT**




EN 1497



ADJUSTABLE THIGH STRAP

**EN 361** Ref. no.: **AB 110 07 C €** 



### **DORSAL ATTACHMENT POINT**







( (

EN 361

Ref. no.:

AB 110 21



### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

POTENTIALLY EXPLOSIVE AREAS

### **NUMBER OF ATTACHMENT POINTS**



AUTOMATIC BUCKLE









ADJUSTING BUCKLE

ADJUSTABLE THIGH STRAP



ENHANCED ALL AUTOMATIC **BUCKLES** 



VERSION	WEIGHT	
M - XL	1100 g	
XXL	1200 g	

### **DORSAL ATTACHMENT POINT**





EN 361, EN 358 Ref. no.: AB 120 01



### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**









 VERSION
 WEIGHT

 M - XL
 1350 g

 XXL
 1450 g

### **DORSAL ATTACHMENT POINT**



### **BELT**





**ENHANCED** 

EN 361, EN 358 Ref. no.: AB 120 21





### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel, ABS	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**










WEIGHT	
1600 g	
1690 g	
	1600 g



BELT







### **SPECIAL FEATURES**





PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**







(€

 VERSION
 WEIGHT

 M - XL
 1010 g


 XXL
 1080 g

### **DORSAL ATTACHMENT POINT**









### **SPECIAL FEATURES**

ALL BUCKLES MADE OF STAINLESS STEEL

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**





VERSION	WEIGHT	
M – XL	1135 g	
XXL	1205 g	

### **DORSAL ATTACHMENT POINT**



EN 361 Dorsal attachment D-ring



Front attachment point




ADJUSTING BUCKLE

2

CHEST STRAP

2

# EN 361 Re



**Full body harness** 



### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**



AUTOMATIC BUCKLE

ADJUSTABLE

THIGH STRAP





VERSION	WEIGHT	
M - XL	1100 g	
XXL	1180 g	

### **DORSAL ATTACHMENT POINT**




Dorsal attachment D-ring







### EN 361 Ref. no.: AB 130 02



### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**









 VERSION
 WEIGHT

 M - XL
 1235 g

 XXL
 1305 g

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring




EN 301
Front attachment point



(€

2





### **SPECIAL FEATURES**



### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**








VERSION	WEIGHT	
M – XL	1305 g	
XXL	1395 g	

### **DORSAL ATTACHMENT POINT**









### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**









VERSION	WEIGHT	
M – XL	1150 g	
XXL	1200 g	

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring





**EN 361** Ref. no.: **AB 135 21 C €** 



### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**













VERSION	WEIGHT	
M – XL	1220 g	
XXL	1270 g	

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring





**ENHANCED** ALL AUTOMATIC

BUCKLES

E

AUTOMATIC BUCKLE ADJUSTABLE THIGH STRAP

### **SPECIAL FEATURES**



**Tested for maximum** user's weight 140 kg



ADAPTED TO COOPERATE WITH A TWO-POINT HITCH AT 300

### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**









dorsal







3	
rescue	

VERSION	WEIGHT
M – XL	1395 g
XXL	1475 g

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

### FRONT ATTACHMENT POINT



### **RESCUE ATTACHMENT POINT**







**EN 361** Ref. no.: **AB 135 02** 



### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**









(€

VERSION	WEIGHT	
M – XL	1220 g	
XXL	1270 g	

### DORSAL ATTACHMENT POINT










EN 361

Ref. no.: **AB 136 01** 

( (



### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**









VERSION	WEIGHT	
M – XL	1080 g	
XXL	1130 g	

### **DORSAL ATTACHMENT POINT**




Dorsal attachment D-ring



**EN 361**Front attachment point

**EN 361** Ref. no.: **AB 136 04** 





### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	aluminium galvanized steel
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**









VERSION	WEIGHT	
M – XL	1065 g	
XXL	1135 g	

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

### FRONT ATTACHMENT POINT






ALUMINIUM BUCKLE



EN 361

Ref. no.: AB 136 21





### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**













VERSION	WEIGHT
M – XL	1100 g
XXL	1160 g

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring



Front attachment point

**EN 361** Ref. no.: **AB 137 01 C €** 



### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring





### **MANUFACTURE**

Webbing:	polyester
Buckles:	galvanized steel, ABS
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**





EN 361

VERSION	WEIGHT
M – XL	1330 g
XXL	1470 g

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring



### EN 361, EN 1497 Ref. no.: AB 137 03 ELASTIC WEBBING ADJUSTING BUCKLE

### **MANUFACTURE**

Webbing:	polyester	
Buckles:	galvanized steel	
Threads:	polyester	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**









EN 361

EN 149

VERSION	WEIGHT	
M – XL	1435 g	
XXL	1595 g	

### **DORSAL ATTACHMENT POINT**

ADJUSTABLE THIGH STRAP



Dorsal attachment D-ring



Rescue attachment point



**RESCUE ATTACHMENT POINT** 



### **MANUFACTURE**

Webbing:	polyester
Buckles:	galvanized steel, ABS
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**









EN 361

EN 1497

VERSION	WEIGHT	
M – XL	1495 g	
XXL	1655 g	

### **DORSAL ATTACHMENT POINT**



EN 361 Dorsal attachment D-ring



**RESCUE ATTACHMENT POINT** 



# EN 361 Ref. no.: AB 139 01 ELASTIC WEBBING

ADJUSTING BUCKLE

### MANUFACTURE

Webbing:	polyester	
Buckles:	galvanized steel	
Threads:	polyester	

### **NUMBER OF ATTACHMENT POINTS**









EN 361

EN 361

VERSION	WEIGHT	
M – XL	1380g	
XXL	1520 g	

### **DORSAL ATTACHMENT POINT**

ADJUSTABLE THIGH STRAP



Dorsal attachment D-ring



Front attachment point



EN 361, EN 1497 Ref. no.: AB 139 22



### **MANUFACTURE**

Webbing:	polyester
Buckles:	galvanized steel, ABS
Threads:	polyester

### **NUMBER OF ATTACHMENT POINTS**











EN 361

EN 361

1445g	
1585 g	

### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring



### FRONT ATTACHMENT POINT



Front attachment point

deler@gantic.no - 55 31 55 31 christian@gantic.no - 48 29 00 29

EN 361, EN 1497 Ref. no.: AB 139 03



#### **MANUFACTURE**

Webbing:	polyester
Buckles:	galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**









EN 361

261

EN 361



EN 1497

VERSION	WEIGHT	
M – XL	1550g	
XXL	1690 g	

#### DORSAL ATTACHMENT POINT



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



EN 361
Front attachment point

#### **RESCUE ATTACHMENT POINT**



EN 1497 Rescue attachment point



EN 361, EN 1497

Ref. no.: AB 139 24 ( (



#### **MANUFACTURE**

Webbing:	polyester	
Buckles:	galvanized steel, ABS	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









EN 361

EN 361



EN 1497

VERSION	WEIGHT	
M – XL	1610g	
XXL	1760 g	_

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point


#### **RESCUE ATTACHMENT POINT**



EN 1497 Rescue attachment point

deler@gantic.no - 55 31 55 31 christian@gantic.no - 48 29 00 29

**EN 361** Ref. no.: **AB 140 01 C €** 



#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS



ADAPTED TO COOPERATE WITH A TWO-POINT HITCH AT 300

#### MANUFACTURE

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









VERSION	WEIGHT	
M – XL	1050g	
XXL	1200 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring


#### FRONT ATTACHMENT POINT



Front attachment point



#### (€ EN 361 Ref. no.: **AB 141 01**



#### **SPECIAL FEATURES**



ADAPTED TO COOPERATE WITH A TWO-POINT HITCH AT 300

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	stainless steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









VERSION	WEIGHT	
M – XL	1260g	
XXL	1310 g	

#### **DORSAL ATTACHMENT POINT**



EN 361 Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT





**EN 361** Ref. no.: **AB 140 21 C €** 



#### **SPECIAL FEATURES**



#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**









EN 361

ZX ZIV OC

VERSION	WEIGHT	
M – XL	1090g	
XXL	1240 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### **DORSAL ATTACHMENT POINT**



Front attachment point





#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS



ADAPTED TO COOPERATE WITH A TWO-POINT HITCH AT 300

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**











waist

VERSION	WEIGHT	
M – XL	1530g	
XXL	1750 g	

#### DORSAL ATTACHMENT POINT



Dorsal attachment D-ring

#### **DORSAL ATTACHMENT POINT**



**EN 361**Front attachment point



EN 358 Work positioning belt with side attachment buckles



EN 361, EN 358

CHEST STRAP

ADJUSTABLE THIGH STRAP Ref. no.: **AB 150 01** 

#### **SPECIAL FEATURES**



## Protection up to 140 Kg



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**



ADJUSTING BUCKLE







(€





VERSION	WEIGHT	
M – XL	1640g	
XXL	1790 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



**EN 361** Front attachment point



Work positioning belt with side attachment buckles





#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**













VERSION	WEIGHT	
M – XL	1500 g	
XXL	1640 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point


BELT



Work positioning belt with side attachment buckles



EN 361, EN 358 Ref. no.: AB 156 05



#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	aluminium galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**













VERSION	WEIGHT	
M – XL	2380 g	
XXL	2510 g	

#### **DORSAL ATTACHMENT POINT**



#### FRONT ATTACHMENT POINT



AL ALUMINIUM BUCKLE

BELT



Work positioning belt with side attachment buckles



EN 361, EN 358 Ref. no.: AB 140 21



#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**













WEIGHT	
1530 g	
1670 g	
	1530 g

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point

BELT



**EN 358**Work positioning belt with side attachment buckles



EN 361, EN 358 Ref. no.: AB 158 21



#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**













XXL	2210g
M - XL	2380 g
VERSION	WEIGHT

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT





Work positioning belt with side attachment buckles



## EN 361 Ref. no.: AB 133 01



XXL

1660 g

#### **DORSAL ATTACHMENT POINT**

#### FRONT ATTACHMENT POINT

SOFT PADDING



Dorsal attachment D-ring





(€ EN 361 Ref. no.: AB 134 01



#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**









VERSION WEIGHT M - XL 1600 g XXL1700 g

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT





**EN 361** Ref. no.: **AB 112 21 C €** 



#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45mm	
Buckles:	automatic aluminium galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**







ENHANCED ALL AUTOMATIC BUCKLES



VERSION	WEIGHT
M – XL	1115 g
XXL	1165 g

#### **DORSAL ATTACHMENT POINT**





Ref. no.:

AB 122 21

#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**









VERSION	WEIGHT	
M – XL	1450 g	
XXL	1550 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### **BELT**




EN 358

Work positioning belt with side attachment buckles

EN 361 Ref. no.: AB 132 21



#### **SPECIAL FEATURES**



#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**









VERSION	WEIGHT	
M - XL	1650 g	
XXL	1750 g	

#### **DORSAL ATTACHMENT POINT**



#### FRONT ATTACHMENT POINT



**₩**GANTIC

( ( Ref. no.: AB 152 21 EN 361, EN 358



#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**













VERSION	WEIGHT
M – XL	1650 g
XXL	1750 g

#### **DORSAL ATTACHMENT POINT**

#### FRONT ATTACHMENT POINT





Front attachment point





Work positioning belt with side attachment buckles



( (

EN 361, EN 358

Ref. no.: **AB 155 21** 



#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel, ABS	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**













XXL	2080 g	
M – XL	1945 g	
VERSION	WEIGHT	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point



**EN 358**Work positioning belt with side attachment buckles



### P-51EmX ISOL Full body harness

EN 361, EN 358 Ref. no.: AB 155 22



#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel, ABS	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**













WEIGHT	
2105 g	
2240 g	
	2105 g

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point



EN 358
Work positioning belt with isolated side attachment buckles



EN 361, EN 358 Ref. no.: AB 155 21/LT 401



#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel, ABS	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**













WEIGHT	
2035 g	
2170 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT





Work positioning belt with side attachment buckles



# EN 361, EN 358

CHEST STRAP

Ref. no.:

AB 160 01

#### SPECIAL FEATURES



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**



ADJUSTING BUCKLE

ADJUSTING BUCKLE







(€





VERSION	WEIGHT
M – XL	1720 g
XXL	1870 g

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



**EN 361** Front attachment point



EN 358 Work positioning belt with side attachment buckles



EN 361, EN 358 Ref. no.: AB 160 02



#### **SPECIAL FEATURES**



PREMITTED TO WORK IN
POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**













M – XL 1880 g	VERSION
XXL 1960 g	M – XL
	XXL

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT




**EN 361**Front attachment point



Work positioning belt with side attachment buckles



## EN 361, EN 358







PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**



ADJUSTING BUCKLE







(€







VERSION	WEIGHT	
M – XL	1880 g	
XXL	1960 g	

#### **DORSAL ATTACHMENT POINT**

CHEST STRAP



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



MOVABLE BELT

ADJUSTABLE THIGH STRAP

Front attachment point



Work positioning belt with side attachment buckles







#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel, ABS	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**











waist



WEIGHT

2145 g

2300 g







#### DORSAL ATTACHMENT POINT



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point

BELT

VERSION

M - XL

XXL




**EN 358**Work positioning belt with side attachment buckles



EN 361, EN 358

Ref. no.: **AB 161 02** 

#### ( (



VERSION	WEIGHT
M - XL	1880 g
XXL	1960 g

#### DORSAL ATTACHMENT POINT



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT




**EN 301**Front attachment point



Work positioning belt with side attachment buckles





#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT





Work positioning belt with side attachment buckles



#### EN 361, EN 358 Ref. no.: AB 162 21

**Full body harness** 



#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**

















VERSION	WEIGHT	
M - XL	2370 g	
XXL	2490 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



**EN 301**Front attachment point

#### BELT




EN 358

Work positioning belt with side attachment buckles



EN 361 Ref. no.: AB 131 01



#### **SPECIAL FEATURES**



Tested for maximum user's weight 140 kg



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS



#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









EN 361

LIV 30

VERSION	WEIGHT	
M - XL	1030 g	
XXL	1090 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



**EN 361** Front attachment point



EN 361, EN 1497

Ref. no.: **AB 131 02** 

2







Tested for maximum user's weight 140 kg



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

NATURAL LEATHER CROSSING PLATE



RESISTANCE TO FLAME IN ACCORDENCE WITH EN 358 P.4.1.5 STANDARD

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









( (

EN 361

EN 361

VERSION	WEIGHT	
M - XL	1030 g	
XXL	1090 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point



EN 361, EN 358

Ref. no.:

AB 159 21

## NATURAL LEATHER CROSSING PLATE ARAMID WEBBING ADJUSTING BUCKLE ARAMID FABRIC AUTOMATIC **BUCKLE** ADJUSTABLE THIGH STRAP

#### **SPECIAL FEATURES**



Tested for maximum user's weight 140 kg



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS



RESISTANCE TO FLAME IN ACCORDENCE WITH EN 358 P.4.1.5 STANDARD

#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	automatic aluminium
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**









EN 361

( (

EN 361

2



EN 358

VERSION	WEIGHT	
M – XL	1600 g	
XXL	1680 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point



**EN 358**Work positioning belt with side attachment buckles



EN 361, EN 358 Ref. no.: AB 159 22

( (



#### **SPECIAL FEATURES**



POTENTIALLY EXPLOSIVE AREAS



#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### NUMBER OF ATTACHMENT POINTS





EN 361





EN 361





VERSION	WEIGHT	
M – XL	1690 g	
XXL	1790 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point

**BELT** 



Work positioning belt with side attachment buckles





#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









EN 361





sit harness

VERSION WEIGHT M - XL 1660 g XXL1760 g

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



EN 361 Front attachment point

#### **BELT**



EN 358 Work positioning belt with side attachment buckles

#### **SIT HARNESS**



EN 813 Attachment point for sit harness



EN 361, EN 358, EN 813

Ref. no.: AB 170 21





#### **SPECIAL FEATURES**



PREMITTED TO WORK IN
POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel, ABS	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**













EN 358

EN 361

4 sit harnes

sit harness

EN 361

EN 813

VERSION	WEIGHT	
M - XL	1660 g	
XXL	1760 g	

#### DORSAL ATTACHMENT POINT



EN 361
Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point

#### BELT



EN 358 Work positioning belt with side attachment buckles

4

**SIT HARNESS** 

EN 813 Attachment point for sit harness





#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**















EN 813

VERSION	WEIGHT	
M - XL	1660 g	
XXL	1760 g	

SIT HARNESS

#### DORSAL ATTACHMENT POINT FRONT ATTACHMENT POINT



Dorsal attachment D-ring



Front attachment point

3 EN 358 Work positioning belt with

side attachment buckles



for sit harness

PREMITTED TO WORK IN **POTENTIALLY EXPLOSIVE AREAS** 

polyester 45 mm

polyester

galvanized steel, ABS

2

front

EN 813

( (

2

EN 361, EN 358, EN 813

AB 171 21 Ref. no.:

## **SPECIAL FEATURES** ADJUSTING **MANUFACTURE** BUCKLE Webbing: Buckles: Threads: **NUMBER OF ATTACHMENT POINTS** 3 dorsal

## sit harness EN 358

waist



#### DORSAL ATTACHMENT POINT FRONT ATTACHMENT POINT



Dorsal attachment D-ring

**ENHANCED** 

ALL AUTOMATIC **BUCKLES** 





**BELT** 

Attachment point for sit

#### **SIT HARNESS**



Attachment point for sit harness



EN 361, EN 358, EN 813, EN1497

ADJUSTING BUCKLE

Ref. no.: AB 171 25

2

#### **SPECIAL FEATURES**

( (



6

PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS



**Tested for maximum** user's weight 140 kg



ADAPTED TO COOPERATE WITH A TWO-POINT HITCH AT 300

#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**











waist





sit harness





EN 1497

	VERSION	WEIGHT
	M – XL	1780 g
	XXL	1890 g

#### **DORSAL** ATTACHMENT POINT

EN 361

Dorsal attachment D-ring


**ENHANCED** 

ALL AUTOMATIC

#### **FRONT BELT** ATTACHMENT POINT



EN 361 Front attachment point



EN 358 Attachment point for sit harness

#### SIT HARNESS



Attachment point for sit harness

**RESCUE ATTACHMENT POINT** 



Rescue attachment point



EN 361, EN 358, EN 813

AB 171 02 Ref. no.:

# ADJUSTING ${\sf BUCKLE}$ ADJUSTING BUCKLE ADJUSTABLE THIGH STRAP

#### **SPECIAL FEATURES**



#### **NUMBER OF ATTACHMENT POINTS**







(€









VERSION WEIGHT M - XL 1720 g XXL1820 g

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



EN 361 Front attachment point

#### **BELT**



Work positioning belt with side attachment buckles



Attachment point for sit harness



( (

EN 361, EN 358, EN 813

AB 172 11 Ref. no.:



**SPECIAL FEATURES** 



ADJUSTING

BUCKLE

**Tested for maximum** user's weight 140 kg

#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**


















waist	

sit harness



#### DORSAL ATTACHMENT POINT FRONT ATTACHMENT POINT



**ENHANCED** ALL AUTOMATIC


**BUCKLES** 

EN 361 Dorsal attachment D-ring



Front attachment point

**BELT** 



EN 358 Work positioning belt with side attachment buckles

**SIT HARNESS** 



Attachment point for sit harness



Ref. no.:

2

FULL BODY HARNESSES, PROTECTIVE CLOTHING



BUCKLE

AB 180 01

#### **NUMBER OF ATTACHMENT POINTS**

polyester



Webbing:

Buckles:

Threads:





polyester 45 mm

galvanized steel, ABS







4

sit harness



EN 813

VERSION	WEIGHT	
M – XL	1720 g	
XXL	1820 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point

#### BELT

AUTOMATIC BUCKLE ADJUSTABLE THIGH STRAP



EN 358
Work positioning belt with side attachment buckles

**SIT HARNESS** 



Attachment point for sit harness



(€

EN 361, EN 358, EN 813

ELASTIC WEBBING

Ref. no.: **AB 180 22** 

### SPECIAL FEATURES



**ELASTIC** 

WEBBING

PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS



Tested for maximum user's weight 140 kg

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel, ABS	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**













VERSION

M - XL

 $\mathsf{XXL}$ 

waist

4

sit harness



E ENHANCED ALL AUTOMATIC BUCKLES

#### FRONT ATTACHMENT POINT



**DORSAL ATTACHMENT POINT** 

Dorsal attachment D-ring

## THORT AT IAOTIMENT TOIL



Front attachment point

#### BELT



EN 358
Work positioning belt with side attachment buckles

#### **SIT HARNESS**

WEIGHT

1780 g

1860 g



Attachment point for sit harness



2

# P-80EmX ISOL

#### **Full body harness**

EN 361, EN 358, EN 813

CHEST STRAP

Ref. no.:

AB 180 03



# (€





PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**



dorsal















EN 813

VERSION	WEIGHT	
M – XL	1800 g	
XXL	1800 g	

#### DORSAL ATTACHMENT POINT FRONT ATTACHMENT POINT



Dorsal attachment D-ring



EN 358

**BELT** 

Work positioning belt with side attachment buckles



Attachment point for sit harness





#### **SPECIAL FEATURES**



Tested for maximum user's weight 140 kg

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	automatic aluminium	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









EN 361





4 sit harness

EN 813

 VERSION
 WEIGHT

 M - XL
 1890 g

 XXL
 1980 g

#### DORSAL ATTACHMENT POINT FRONT ATTACHMENT POINT



Dorsal attachment D-ring



Front attachment point



**BELT** 


EN 358
Work positioning belt with side attachment buckles



EN 813 Attachment point for sit harness



EN 361, EN 358, EN 813





#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**













sit harness



EN 813

VERSION	WEIGHT	
M - XL	1810 g	
XXL	1900 g	

#### DORSAL ATTACHMENT POINT FRONT ATTACHMENT POINT



Dorsal attachment D-ring



EN 361 Front attachment point

#### **BELT**



EN 358 Work positioning belt with side attachment buckles



EN 813 Rescue attachment point



EN 361, EN 358, EN 1497

Ref. no.:







#### **SPECIAL FEATURES**



**Tested for maximum** user's weight 140 kg



**ADAPTED TO COOPERATE WITH** A TWO-POINT HITCH AT 300

#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel, ABS
Threads:	polyester
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**

















**VERSION** WEIGHT M - XL 1820 g XXL 1960 g

#### DORSAL ATTACHMENT POINT FRONT ATTACHMENT POINT



EN 361 Dorsal attachment D-ring



Front attachment point

#### **BELT**



EN 358 Work positioning belt with side attachment buckles

#### **RESCUE** ATTACHMENT POINT



Attachment point for sit harness







Tested for maximum user's weight 140 kg



ADAPTED TO COOPERATE WITH A TWO-POINT HITCH AT 300

#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**













escue



EN 358

VERSION	WEIGHT	
M – XL	2540 g	
XXL	2750 g	

#### **DORSAL ATTACHMENT POINT**

ENHANCED ALL AUTOMATIC

**BUCKLES** 




Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point

#### BELT



EN 358
Work positioning belt with side attachment buckles

RESCUE



Rescue loops



#### **SPECIAL FEATURES**



PREMITTED TO WORK IN **POTENTIALLY EXPLOSIVE AREAS** 



**Tested for maximum** user's weight 140 kg

#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









waist



**DORSAL ATTACHMENT POINT** 



EN 361 Dorsal attachment D-ring

**FRONT ATTACHMENT POINT** 



EN 361 Front attachment point

WORK **POSITIONING** 



Work positioning belt with side attachment buckles

VERSION WEIGHT M - XL 1950 g XXL2030 g



Attachment point for sit harness



ADJUSTING BUCKLE

6

#### **SPECIAL FEATURES**



**Tested for maximum** user's weight 140 kg

#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**



3

waist

3

















**DORSAL ATTACHMENT POINT** 

ADJUSTABLE THIGH STRAP



Dorsal attachment D-ring

#### **FRONT ATTACHMENT POINT**



Front attachment point

**WORK POSITIONING** 



EN 358 Work positioning belt with side attachment buckles

**VERSION** WEIGHT 1950 g M - XL XXL2030 g





EN 813 Attachment point for sit harness



AB 110 04

Ref. no.:

#### **MANUFACTURE**

Webbin	ıg:	polyester 45mm
Buckle	S:	automatic aluminium galvanized steel
Thread	S:	polyester

#### **NUMBER OF ATTACHMENT POINTS**







VERSION WEIGHT S 1000 g

M - XL 1050 g XXL1150 g

#### **DORSAL ATTACHMENT POINT**



EN 361 Dorsal attachment D-ring

(€

2

**EN 361, EN 1497** Ref. no.: **AB 114 01** 



#### FRONT ATTACHMENT POINT



EN 361

Front attachment point






#### **DORSAL ATTACHMENT POINT**





EN 361, EN 813 Ref. no.: AB 116 01



#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring




Front attachment point









#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**







EN 361

(€



EN 1497

VERSION WEIGHT M - XL 1460 g XXL1600 g

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



EN 361 Front attachment point

#### **RESCUE ATTACHMENT POINT**



EN 1497 Rescue attachment point



( (

EN 361, EN 1497

ENHANCED ALL AUTOMATIC

AUTOMATIC **BUCKLE** 

ADJUSTABLE THIGH STRAP

Ref. no.: AB 135 29

Hi Vision full body harness

#### **SPECIAL FEATURES**



3

ADJUSTING BUCKLE

ADAPTED TO COOPERATE WITH A TWO-POINT HITCH AT 300

#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	agalvanized steel, ABS
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**









EN 361

EN 361



3 rescue

EN 1497

VERSION	WEIGHT	
M – XL	1100 g	
XXL	1160 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT




Front attachment point

#### **RESCUE ATTACHMENT POINT**



Rescue attachment point





#### **SPECIAL FEATURES**



#### MANUFACTURE

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**





EN 361





(€

2X EN 361


VERSION	WEIGHT	
M – XL	1050 g	
XXL	1200 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



**EN 361**Front attachment point

#### $\epsilon$ EN 361, EN 358 AB 142 09 Ref. no.:



#### **SPECIAL FEATURES**



#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









2X EN 361

EN 361

3 waist



EN 358

WEIGHT	
1530 g	
1750 g	
	1530 g

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



EN 361 Front attachment point

#### **BELT**



Work positioning belt with side attachment buckles



#### **SPECIAL FEATURES**



ADAPTED TO COOPERATE WITH A TWO-POINT HITCH AT 300

#### **MANUFACTURE**

Webbing:	polyester 45mm
Buckles:	galvanized steel, ASB
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**











EN 1497

waist

EN 358

VERSION	WEIGHT	
M – XL	2540 g	
XXL	2750 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



EN 361 Front attachment point

#### **RESCUE**



EN 1497 Rescue loops

**BELT** 



Work positioning belt with side attachment buckles



# EN 361 Ref. no.: AB 130 04 ADJUSTING BUCKLE 2

#### **MANUFACTURE**

Webbing:	polyester 45 mm
Buckles:	galvanized steel
Threads:	polyester

#### **NUMBER OF ATTACHMENT POINTS**



dorsal







M – XL	1000 g
XXL	1600 g

#### **DORSAL ATTACHMENT POINT**




ADJUSTABLE THIGH STRAP



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



Front attachment point



EN 361, EN 358 Ref. no.: AB 150 04



#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**











waist




VERSION	WEIGHT	
M – XL	1460 g	
XXL	1600 g	

#### **DORSAL ATTACHMENT POINT**



Dorsal attachment D-ring

#### FRONT ATTACHMENT POINT



**EN 361** Front attachment point

#### BELT



EN 358
Work positioning belt with side attachment buckles



( (

**EN 361** 

Ref. no.: **KB 020** 



#### **SPECIAL FEATURES**



#### MANUFACTURE

Material: HV fabric: 85% Polyester, 15% Cotton other fabrics: 65% Polyester, 35% Cotton

Weight: 350 g

Overalls integrated with full body harness. Made from high--quality polyester and cotton fabric by KLOPMAN. Full body harness is sewn up inside the overalls with dorsal attachment D-ring brought out.

# VARIOUS FABRICS AND COLOURS ON REQUEST OVERALLS AVAILABLE ALSO IN REFLECTIVE VERSION.

#### COLOUR VERSION

HV orange

Ash-gray





#### **MANUFACTURE**

Material:	97% Polyester, 3% Elastane
Weight:	350 g

#### **SIZES**

HEIGHT	CHEST CIRCUMFERENCE
176-179 cm	83-94 cm
179-182 cm	95-102 cm
182-185 cm	103-112 cm
	176-179 cm

Softshell jacket equipped with full body harness P11 or P11C (automatic buckles).

Harness can be released easily. The jacket is made of firmly woven fabric providing an excellent protection against wind blows. The applied technology ensures windproofness, water tightness and breathability. Thanks to the above the jacket provides optimal protection while working with high intensity. The jacket is fitted with full-length zipper, chin protection and a single front and two side pockets. Sleeve cuffs are adjustable with strong Velcro fasteners.









Softshell jacket equipped with full body harness P11 or P11C (automatic buckles). Harness can be released easily. The jacket is made of firmly woven fabric providing an excellent protection against wind blows. The applied technology ensures windproofness, water tightness and breathability. Thanks to the above the jacket provides optimal protection while working with high intensity. The jacket is fitted with full-length zipper, chin protection and a single front and two side pockets. Sleeve cuffs are adjustable with strong Velcro fasteners.

#### VERSION

JACKET KB041 + P11 C

JACKET KB042 + P11

JACKET KB042 + P11C



EN 361 Ref. no.: AB 104 01



#### **MANUFACTURE**

Webbing:	polyester 45 mm	
Buckles:	galvanized steel	
Threads:	polyester	

#### **NUMBER OF ATTACHMENT POINTS**









EN 361

EN 361

#### COLOUR VERSION

HV yellow/green
, ,

HV orange

#### **DORSAL ATTACHMENT POINTS**



Dorsal attachment D-ring



FRONT ATTACHMENT POINTS



Ref. no.: **VS 010** 



#### **MANUFACTURE**

Material:	85% Polyester, 15% Cotton
Weight:	0,60 kg
Size:	waist 80-110 cm
Compatibility:	P-01, P-01S, P-02, P-02S, P-10, P-20, P-30, P-30N, P-50, P-51E, P-60, P-61, P-61E
Reflective tape width:	40 mm and 30 mm

**COLOUR VERSION** 

HV yellow/green
HV orange

# **VS 011**

#### Protective vest with reflective tapes

Ref. no.: **VS 011** 

#### **SPECIAL FEATURES**



PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS

#### **MANUFACTURE**

Material:	100% Polyester	
Weight:	0,30 kg	•
Size:	waist 100-130 cm	
Reflective tape width:	30 mm	
COLOUR VERSION		
HV orange		
HV yellow/green		
Red		
Green		
Dark blue		
Black		_



Ref. no.: **VS 012** 



#### MANUFACTURE

Material:	100% Polyester	
Weight:	0,30 kg	
Size:	L-XL	
Reflective tape width:	50 mm	50 mm
COLOUR VERSION		
HV orange		
HV yellow/green		
Red		
Green		
Dark blue		
Black		

# **VS 020**

#### Protective vest with reflective tapes

Ref. no.: **VS 020** 



#### MANUFACTURE

Material	ol 65% Polyester, 35% Cotton	
Weight:	0,62 kg	
Size:	L-XL	
Compatibility:	P-01, P-01S, P-02, P-02S, P-10, P-20, P-30,P-40, P-50, P-51E, P-60, P-61, P-61E	
COLOUR VERSION		
HV orange		-
HV yellow/gr	een	
Red		
Green		
Dark blue		
Black		



Ref. no.: **VS 030** 



#### **MANUFACTURE**

Material	65% Polyester, 35% Cotton	
Weight:	0,60 kg	
Size:	L-XL	
Compatibility:	P-01, P-01S, P-02, P-02S, P-10, P-20, P-30 P-30N, P-50, P-51E, P-60, P-61, P-61E	
COLOUR VERSION		
HV orange		
HV orange HV yellow/gr	reen	
	reen	
HV yellow/gi	reen	

**VS 031** 

#### **Vest for full body harness**

Ref. no.: **VS 031** 



#### MANUFACTURE

Black

Material	65% Polyester, 35% Cotton
Weight:	0,60 kg
Size:	L-XL
Compatibility:	P-01, P-01S, P-02, P-02S, P-10, P-20, P-30 P-30N, P-50, P-51E, P-60, P-61, P-61E
COLOUR VERSION	I
HV orange	
HV yellow/	green
Red	
Green	
Green  Dark blue	





	PREMITTED TO WORK IN POTENTIALLY EXPLOSIVE AREAS
17	POTENTIALLY EXPLOSIVE AREAS

#### MANUFACTURE

Material	65% Polyester, 35% Cotton	
Weight:	0,60 kg	
Size:	L-XL	
Compatibility:	P-01, P-01S, P-02, P-02S, P-10, P-20, P-30, P-30N, P-50, P-51E, P-60, P-61, P-61E	
COLOUR VERSION		
HV orange		
HV yellow/g	reen	
Red		
Green		
Dark blue		
Black		

# **VS 041**

#### **Vest for full body harness**

Ref. no.: **VS 041** 

#### MANUFACTURE

Material	65% Polyester, 35% Cotton	
Weight:	0,60 kg	
Size:	L-XL	
Compatibility:	P-01, P-01S, P-02, P-02S, P-10, P-20, P-30 P-30N, P-50, P-51E, P-60, P-61, P-61E	,
COLOUR VERSION		
HV orange		
HV yellow/g	green	
Red		
Green		
Dark blue		
Black		



Ref. no.: **VS 042** 









#### **MANUFACTURE**

 Material
 85% Polyester, 15% Cotton

 Weight:
 0,60 kg

 Size:
 L-XL

 Compatibility:
 P-01, P-01S, P-03, P-10, P-30, P-30N

COLOUR VERSION

HV orange

HV yellow/green





#### **MANUFACTURE**

Material:	85% Polyester, 15% Cotton
Weight:	0,60 kg
Size:	L-XL
Compatibility:	P-01, P-01S, P-01B, P-10, P-30, P-30N,
Reflective tape width:	40 mm

#### COLOUR VERSION

HV orange	
HV yellow/green	

# **VS 051**

#### Vest for full body harness



#### MANUFACTURE

Material:	85% Polyester, 15% Cotton
Weight:	0,60 kg
Size:	L-XL
Compatibility:	P-01, P-01S, P-01B, P-10, P-30, P-30N,
Reflective tape width:	40 mm
Reflective tape width.	40 111111

COLOUR VERSION	NET PRICE
COLOGIC VERGION	METRIOL

	HV orange	125,00
	HV yellow/green	125,00

Ref. no.: **VS 070** 






Material in accordance with the following standards: EN 532, EN 367, EN 366, EN 373 – resistance to aluminium filings (780°C), resistance to iron filings (1400°C).

#### SPECIAL FEATURES





#### **MANUFACTURE**

Material	65% Polyester, 35% Cotton
Weight:	0,60 kg
Size:	L-XL
Compatibility:	P-01, P-01S, P-02, P-02S, P-10, P-20, P-50,P-60, P-61

#### COLOUR VERSION

HV orange





Ref. no.: **VS 080** 



#### **MANUFACTURE**

Material	85% Polyester, 15% Cotton
Weight:	0,70 kg
Size:	L-XL
Compatibility:	P-01, P-01S, P-10, P-30, P-30N, P-40

HV orange			
HV yellow/green			
Red			
Green			
Dark blue			
Black			



EN 340, EN 531, EN 1149-5

Ref. no.: **VS 200** 





#### **SPECIAL FEATURES**



Warning vest, flame-retardant, anti-static, type VS 200, made from acrylic fabric XISPAL 827 RS HV ANTIESTATICO, HV yellow/green. Reflective flame-retardant tapes, 50mm wide, Ref. No. RETROLUX FLR

Vest snapped with four snap fasteners at front, covered with placket.

Rolled up and stitched lower section. Along its perimeter the vest has a single reflective tape sewn up horizontally on the waist at the front, running through shoulders, and two diagonal tapes at the back.

The vest holds EC Type Examination Certificate

#### **MANUFACTURE**

Size:	L-XL	

HV yellow/green	



